

View Online at <https://aerobasegroup.com/nsn/5340-01-436-3409>

**First Leg Length:**

Between 1.1900 inches and 1.3100 inches

**Second Leg Length:**

1.1880 inches

**Second Leg Width:**

12.5000 inches

**Second Leg Corner Radius:**

0.2500 inches

**First Leg Hole Diameter:**

Between 0.2560 inches and 0.2580 inches

**Second Leg Hole Diameter:**

Between 0.2650 inches and 0.2720 inches

**Second Leg Distance Between Hole Centers Along Width:**

11.5000 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

3.5600 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

5.6400 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.5000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.5000 inches

**First Leg Thickness:**

0.2500 inches

**Second Leg Thickness:**

0.2500 inches

**First Leg Width:**

12.5000 inches

**First Leg Corner Radius:**

0.2500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

6.3750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.2880 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.19 radians

**Special Features:**

The item is opposite of part number 3141as425-1

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200/16 federal specification single material response or qq-a-200/8 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 3, cl 2 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.