

View Online at <https://aerobasegroup.com/nsn/5340-01-439-3287>

First Leg Length:

Between 64.5 millimeters and 65.5 millimeters

Second Leg Length:

Between 99.2 millimeters and 100.8 millimeters

Second Leg Width:

Between 209.5 millimeters and 210.5 millimeters

First Leg Hole Diameter:

Between 17.4 millimeters and 18.0 millimeters

Second Leg Hole Diameter:

Between 16.5 millimeters and 17.1 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

25.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

24.0 millimeters

First Leg Thickness:

8.0 millimeters

Second Leg Thickness:

8.0 millimeters

First Leg Width:

Between 209.5 millimeters and 210.5 millimeters

First Leg End Width:

123.0 millimeters

First Leg Distance Between Hole Centers Along Width:

98.0 millimeters

First Leg Distance From Edge To Hole Center Along Width:

29.7 millimeters

First Leg Distance From Edge To Hole Center Along Length:

Between 64.5 millimeters and 65.5 millimeters

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 8.5 radians and 9.5 radians

First Leg Chamfer Angle:

Between 15.0 degrees and 21.0 radians

Material:

Steel

Material Specification:

Astm-a-572 assn standard single material response

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Tt-c-490, type 1 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0