

View Online at <https://aerobasegroup.com/nsn/5340-01-439-3287>

**First Leg Length:**

Between 64.5 millimeters and 65.5 millimeters

**Second Leg Length:**

Between 99.2 millimeters and 100.8 millimeters

**Second Leg Width:**

Between 209.5 millimeters and 210.5 millimeters

**First Leg Hole Diameter:**

Between 17.4 millimeters and 18.0 millimeters

**Second Leg Hole Diameter:**

Between 16.5 millimeters and 17.1 millimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

25.0 millimeters

**Second Leg Distance From Edge To Hole Center Along Length:**

24.0 millimeters

**First Leg Thickness:**

8.0 millimeters

**Second Leg Thickness:**

8.0 millimeters

**First Leg Width:**

Between 209.5 millimeters and 210.5 millimeters

**First Leg End Width:**

123.0 millimeters

**First Leg Distance Between Hole Centers Along Width:**

98.0 millimeters

**First Leg Distance From Edge To Hole Center Along Width:**

29.7 millimeters

**First Leg Distance From Edge To Hole Center Along Length:**

Between 64.5 millimeters and 65.5 millimeters

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 8.5 radians and 9.5 radians

**First Leg Chamfer Angle:**

Between 15.0 degrees and 21.0 radians

**Material:**

Steel

**Material Specification:**

Astm-a-572 assn standard single material response

**Surface Treatment:**

Phosphate zinc

**Surface Treatment Specification:**

Tt-c-490, type 1 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0