

View Online at <https://aerobasegroup.com/nsn/5340-01-443-6505>

Mounting Hole Type:

Plain

First Leg Length:

1.5000 inches

Second Leg Length:

1.7500 inches

Second Leg Width:

1.5000 inches

First Leg Hole Diameter:

Between 0.1350 inches and 0.1560 inches

Second Leg Hole Diameter:

Between 0.2180 inches and 0.2360 inches

Second Leg Distance Between Hole Centers Along Width:

0.7500 inches

Second Leg Distance Between Hole Centers Along Length:

0.7500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.3750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.4400 inches

First Leg Thickness:

0.0900 inches

Second Leg Thickness:

0.0900 inches

First Leg Width:

1.5000 inches

First Leg Corner Radius:

0.2500 inches

First Leg Distance Between Hole Centers Along Width:

0.5940 inches

First Leg Distance Between Hole Centers Along Length:

0.5940 inches

First Leg Distance From Edge To Hole Center Along Width:

0.4500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.3460 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.2500 radians

Material:

Aluminum alloy 5086 or aluminum alloy 5052

Material Specification:

Qq-a-250/7 federal specification single material response or astm-b-209 assn standard single material response or qq-a-250/8 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0