

View Online at <https://aerobasegroup.com/nsn/5340-01-445-5373>

Mounting Hole Type:

Plain

First Leg Length:

0.091 inches

Second Leg Length:

0.075 inches

End Application:

F-15i

Second Leg Width:

1.000 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.220 inches and 0.230 inches

Second Leg Hole Diameter:

Between 0.129 inches and 0.134 inches

Second Leg Distance Between Hole Centers Along Width:

0.050 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.600 inches

First Leg Distance From Edge To Hole Center Along Length:

1.150 inches

First Leg End Radius:

0.310 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Bracket assembly, clamp support, offset, lightweight, clip nut

Special Features:

Item has lockwire hole, diameter 0.094plus 0.005 in.; bracket is intended to attached w/rivets; has clip nut p/n st3m523c3m and has conventiona (not inverted) installation

Material:

Aluminum alloy

Material Specification:

Qq-a-250/5 federal specification single material response

Surface Treatment:

Primer and chromate

Surface Treatment Specification:

Mil-p-23377 military specification 1st treatment response and mil-c-5541 military specification 2nd treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-p-23377 spec.