## NSN 5340-01-446-7891

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-446-7891

Mounting	Hole	Type:
_		

Countersunk and plain

First Leg Hole Diameter:

Between 0.088 inches and 0.090 inches

Second Leg Hole Diameter:

Between 0.178 inches and 0.186 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.245 inches and 0.255 inches

Second Leg Distance Between Hole Centers Along Length:

0.495 mils and 0.505 centimeters

First Leg Thickness:

0.075 inches

Second Leg Thickness:

0.075 inches

**Center Section Height:** 

0.608 inches

**Center Section Thickness:** 

0.075 inches

First Leg Distance Between Hole Centers Along Length:

0.375 inches

First Leg Hole Arrangement Style:

Two holes

**Second Leg Hole Arrangement Style:** 

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel comp 302 or steel comp 304

**Material Specification:** 

Qq-s-766 cond a federal specification all material responses

**Surface Treatment:** 

**Passivate** 

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response

**Style Designator:** 

Double angle

Shelf Life:

N/a

## NSN 5340-01-446-7891

Double Angle Bracket - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A042a0