NSN 5340-01-452-2172

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-452-2172

		_		
TL	rea	_	\sim	

2b left internal (includes through thread)

Thread Direction:

Right-hand left internal (includes through thread)

Thread Length:

0.2450 inches and 0.2550 inches left internal (includes through thread)

Length:

Between 0.2450 inches and 0.2550 inches

Cross-sectional Shape:

Hexagon

Width Across Flats:

Between 0.2420 inches and 0.2580 inches

Thready Qty Per Inch (tpi):

40 left internal (includes through thread)

Thread Size:

0.1120 inches left internal (includes through thread)

Right Projection Diameter:

Between 0.1850 inches and 0.1880 inches

Right Projection Length:

Between 0.1030 inches and 0.1080 inches

Material:

Copper alloy 360 standoff

Material Specification:

Qq-b-636 federal specification single material response standoff

Surface Treatment:

Tin standoff

Surface Treatment Specification:

Mil-t-10727, type 1 or ty2 military specification single treatment response standoff

Style Designator:

Projection one end

Thread Series Designator:

Unc left internal (includes through thread)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A08900

Mil-std (military Standard):

Mil-t-10727 spec.