

View Online at <https://aerobasegroup.com/nsn/5340-01-453-9853>

Mounting Hole Type:

Plain

First Leg Length:

0.9000 inches

Second Leg Length:

1.9900 inches

Second Leg Width:

0.8000 inches

Second Leg Corner Radius:

0.1200 inches

First Leg Hole Diameter:

Between 0.2460 inches and 0.2520 inches

Second Leg Hole Diameter:

Between 0.2460 inches and 0.2510 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.4000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.4000 inches

First Leg Thickness:

0.0500 inches

Second Leg Thickness:

0.0500 inches

First Leg Width:

0.8000 inches

First Leg Corner Radius:

0.2500 inches

First Leg Distance Between Hole Centers Along Width:

0.3800 inches

First Leg Distance Between First And Second Hole Centers Along Width:

0.1900 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

0.1900 inches

First Leg Distance From Edge To Hole Center Along Width:

0.2100 inches

First Leg Distance From Edge To Hole Center Along Length:

0.2500 inches

First Leg Distance Between First And Second Hole Centers Along Length:

0.1900 inches

First Leg Distance Between Second And Third Hole Centers Along Length:

0.1900 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-q225/5 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.