

View Online at <https://aerobasegroup.com/nsn/5340-01-454-8073>

Thread Class:

2b left internal (includes through thread)

Thread Direction:

Right-hand right external

Thread Length:

0.3710 inches right external and 0.3790 inches right external

Length:

Between 0.9950 inches and 1.0050 inches

Cross-sectional Shape:

Hexagon

Width Across Flats:

Between 0.3690 inches and 0.3810 inches

Thready Qty Per Inch (tpi):

32 right external

Thread Size:

0.1900 inches left internal (includes through thread)

Right Projection Diameter:

0.1900 inches

Right Projection Length:

Between 0.3710 inches and 0.3790 inches

Material:

Steel comp 4130 standoff or steel comp 8640 standoff or steel comp 8740 standoff

Material Specification:

Mil-s-6758 military specification single material response standoff or mil-s-6050 military specification single material response standoff or il-s-6049 military specification 10th material response standoff

Surface Treatment:

Cadmium standoff and chromate standoff

Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification single treatment response standoff

Style Designator:

Left internal and right external thread

Thread Series Designator:

Unf right external

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A08900

Mil-std (military Standard):

Mil-s-6758 spec.