NSN 5340-01-455-8655

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-455-8655

Thread Class:

3b left internal (includes through thread)

Thread Direction:

Right-hand left internal (includes through thread)

Thread Length:

0.2950 inches left internal (includes through thread)

Diameter:

0.3100 inches

Cross-sectional Shape:

Round

Thready Qty Per Inch (tpi):

32 left internal (includes through thread)

Thread Size:

0.1900 inches left internal (includes through thread)

Special Features:

There is a insert included made to ms2120 (table i or 304 cres per fed-std-66)

Material:

Aluminum alloy 2024 or aluminum alloy 6061

Material Specification:

Qq-a-200/3 federal specification single material response or qq-a-225/6 federal specification single material response or qq-a-200/8 federal

specification single material response or qq-a-225/8 federal specification single material response or qq-a-250/11 federal specification

single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1. Cl 1 military specification single treatment response

Thread Series Designator:

Unf left internal (includes through thread)

Shelf Life:

N/a

Unit Of Measure:

```
--
```

Demilitarization:

No

Fiig:

A08900

Mil-std (military Standard):

Mil-a-8625 spec.