

View Online at <https://aerobasegroup.com/nsn/5340-01-456-1487>

Mounting Hole Type:

Plain

First Leg Length:

2.5000 inches

Second Leg Length:

8.6250 inches

Second Leg Width:

2.5000 inches

Second Leg Corner Radius:

0.2500 inches

First Leg Hole Diameter:

0.2800 inches

Second Leg Hole Diameter:

0.3440 inches

Second Leg Distance Between Hole Centers Along Length:

5.9060 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.7500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.6250 inches

First Leg Thickness:

0.2500 inches

Second Leg Thickness:

0.2500 inches

First Leg Width:

2.5000 inches

First Leg Corner Radius:

0.2500 inches

First Leg Distance Between Hole Centers Along Width:

1.4600 inches

First Leg Distance Between Hole Centers Along Length:

0.7500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.5200 inches

First Leg Distance From Edge To Hole Center Along Length:

0.4900 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.75 radians

Material:

Steel comp m1010 or steel comp m1012 or steel comp m1015 or steel comp m1017 or steel comp m1020 or steel comp m1023 or steel comp m1025 or steel or steel comp 1026 or steel comp 1029 or steel comp 1030

Material Specification:

Astma-575 assn standard single material response or astm-a-36 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0