NSN 5340-01-457-0440

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-457-0440 First Leg Length: 0.7500 inches Second Leg Length: 0.8000 inches Second Leg Width: 1.0000 inches First Leg Hole Diameter: Between 0.1290 inches and 0.1340 inches Second Leg Distance From Edge To Hole Center Along Width: 0.2500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.2500 inches Second Leg Slot Length: 0.3870 inches Second Leg Slot Width: Between 0.1120 inches and 0.1170 inches First Leg Thickness: 0.0630 inches Second Leg Thickness: 0.0630 inches First Leg Width: 1.0000 inches First Leg Corner Radius: 0.3000 inches First Leg Distance Between Hole Centers Along Width: 0.5000 inches First Leg Distance From Edge To Hole Center Along Width: 0.2500 inches First Leg Distance From Edge To Hole Center Along Length: 0.2500 inches Second Leg End Radius: 0.3000 inches First Leg Style: Corner radius First Leg Hole Arrangement Style: One hole Second Leg Style: End radius **Second Leg Hole Arrangement Style:**

Second Leg Relationship To First Leg: Not identical

NSN 5340-01-457-0440

Angle Bracket - Page 2 of 2

Mil-t-9046 spec.



First Leg Angle:
0.2500 radians
Material:
Titanium
Material Specification:
Mil-t-9046 military specification single material response or ams-4901 assn standard single material response or ams-4902 assn standard
single material response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):