## NSN 5340-01-457-0440

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-457-0440

First Leg Length:
0.7500 inches
Second Leg Length:
0.8000 inches
Second Leg Width:
1.0000 inches
First Leg Hole Diameter:
Between 0.1290 inches and 0.1340 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.2500 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.2500 inches
Second Leg Slot Length:
0.3870 inches
Second Leg Slot Width:
Between 0.1120 inches and 0.1170 inches
First Leg Thickness:
0.0630 inches
Second Leg Thickness:
0.0630 inches
First Leg Width:
1.0000 inches
First Leg Corner Radius:
0.3000 inches
First Leg Distance Between Hole Centers Along Width:
0.5000 inches
First Leg Distance From Edge To Hole Center Along Width:
0.2500 inches
First Leg Distance From Edge To Hole Center Along Length:
0.2500 inches
Second Leg End Radius:
0.3000 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
End radius
Second Leg Hole Arrangement Style:
One slot
Second Leg Relationship To First Leg:
Not identical
Notidontiour

# NSN 5340-01-457-0440

Angle Bracket - Page 2 of 2



#### First Leg Angle:

0.2500 radians

### Material:

Titanium

#### Material Specification:

Mil-t-9046 military specification single material response or ams-4901 assn standard single material response or ams-4902 assn standard

single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A042a0

#### Mil-std (military Standard):

Mil-t-9046 spec.