

View Online at <https://aerobasegroup.com/nsn/5340-01-457-8370>

Mounting Hole Type:

Threaded

First Leg Length:

0.3800 inches

Second Leg Length:

0.8100 inches

Second Leg Width:

0.6300 inches

Second Leg End Width:

0.4700 inches

First Leg Hole Diameter:

0.1120 inches

Second Leg Hole Diameter:

Between 0.2800 inches and 0.2870 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.3100 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.3100 inches

First Leg Thickness:

0.0900 inches

Second Leg Thickness:

0.2300 inches

First Leg Width:

0.6300 inches

First Leg Distance Between Hole Centers Along Width:

0.3750 inches

First Leg Distance Between Hole Centers Along Length:

0.3750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.1300 inches

First Leg Distance From Edge To Hole Center Along Length:

0.1300 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.02 radians

Second Leg Chamfer Angle:

45.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.