

View Online at <https://aerobasegroup.com/nsn/5340-01-458-5442>

First Leg Length:

54.0 millimeters

Second Leg Length:

230.0 millimeters

Second Leg Width:

430.0 millimeters

Second Leg End Width:

428.0 millimeters

First Leg Hole Diameter:

Between 9.2 millimeters and 9.8 millimeters

Second Leg Hole Diameter:

Between 9.2 millimeters and 9.8 millimeters

Second Leg Distance Between First And Second Hole Centers Along Width:

185.0 millimeters

Second Leg Distance Between Second And Third Hole Centers Along Width:

175.0 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

30.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

15.0 millimeters

First Leg Thickness:

0.1345 inches

Second Leg Thickness:

0.1345 inches

First Leg Width:

290.0 millimeters

First Leg End Width:

278.0 millimeters

First Leg Distance Between First And Second Hole Centers Along Width:

165.0 millimeters

First Leg Distance Between Second And Third Hole Centers Along Width:

0.0850 millimeters

First Leg Distance From Edge To Hole Center Along Width:

30.0 millimeters

First Leg Distance From Edge To Hole Center Along Length:

18.0 millimeters

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

6.4 radians

First Leg Chamfer Angle:

Between 44.0 radians and 46.0 radians

Second Leg Chamfer Angle:

Between 44.0 degrees and 46.0 degrees

Material:

Steel comp 1009

Material Specification:

Astm-a-366 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0