NSN 5340-01-459-0156



Spacing Threaded Standoff - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5340-01-459-0156 **Thread Class:** 2b left internal (includes through thread) **Thread Direction:** Right-hand left internal (includes through thread) Thread Length: 0.4500 inches and 0.5050 inches left internal (includes through thread) Length: Between 0.4550 inches and 0.5050 inches **Cross-sectional Shape:** Hexagon Width Across Flats: 0.2500 inches Thready Qty Per Inch (tpi): 40 left internal (includes through thread) **Thread Size:** 0.1120 inches left internal (includes through thread) **Right Projection Diameter:** Between 0.1850 inches and 0.1880 inches **Right Projection Length:** Between 0.0720 inches and 0.0780 inches Material: Steel comp 303 standoff **Material Specification:** Astm-a-582 assn standard single material response standoff **Surface Treatment:** Passivate standoff **Surface Treatment Specification:** Mil-f-14072 military specification single treatment response standoff Style Designator: Projection one end **Thread Series Designator:** Unc left internal (includes through thread) Shelf Life: N/a **Unit Of Measure:**

Projection one end

Thread Series Designator:
Unc left internal (includes through thread)

Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No
Fiig:
A08900

Mil-std (military Standard):
Mil-f-14072 spec.