## NSN 5340-01-459-0262

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-459-0262

First Leg Length:
6.2500 inches
Second Leg Length:
6.5000 inches
End Application:
Nsn 2320-01-304-2277 pls (palletized loading system)
Second Leg Width:
3.3800 inches
Second Leg End Width:
1.0000 inches
First Leg Hole Diameter:
0.3440 inches
Second Leg Hole Diameter:
0.2810 inches
Second Leg Distance Between Hole Centers Along Length:
2.0500 inches
Second Leg Distance From Edge To Hole Center Along Width:
1.5000 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.4300 inches
Second Leg Distance Between First And Second Hole Centers Along Length:
1.3000 inches
Second Leg Distance Between Second And Third Hole Centers Along Length:
0.7500 inches
First Leg Thickness:
0.2500 inches
Second Leg Thickness:
0.2500 inches
Center Section Height:
6.8900 inches
Center Section Width:
3.3800 inches
Center Section Thickness:
0.2500 inches
First Leg Width:
3.3800 inches
First Leg Distance Between Hole Centers Along Width:
1.5750 inches
First Leg Distance Between Hole Centers Along Length:
4.5280 inches
First Leg Distance From Edge To Hole Center Along Width:
1.1100 inches

## NSN 5340-01-459-0262

Double Angle Bracket - Page 2 of 2



First Leg Distance From Edge To Hole Center Along Length: 0.9700 inches First Leg Style: Square First Leg Hole Arrangement Style: Four holes Second Leg Style: Square and tapered Second Leg Hole Arrangement Style: Four holes Second Leg Relationship To First Leg: Not identical **Style Designator:** Adjacent angles Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A042a0