

View Online at <https://aerobasegroup.com/nsn/5340-01-459-3336>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.2200 inches and 0.2800 inches

Second Leg Length:

Between 0.4700 inches and 0.5500 inches

Second Leg Width:

Between 7.0700 inches and 7.1300 inches

Second Leg End Width:

6.3400 inches

First Leg Hole Diameter:

Between 0.0660 inches and 0.0710 inches

First Leg Thickness:

0.0400 inches

Second Leg Thickness:

0.0400 inches

First Leg Width:

Between 7.0700 inches and 7.1300 inches

First Leg Distance Between First And Second Hole Centers Along Width:

3.4500 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

3.4500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.0100 inches

First Leg Distance From Edge To Hole Center Along Length:

0.1000 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

No hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 0.06 radians and 0.09 radians

Second Leg Chamfer Angle:

Between 40.0 degrees and 50.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.