## NSN 5340-01-459-3336

Angle Bracket - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5340-01-459-3336



## Mounting Hole Type: Plain First Leg Length: Between 0.2200 inches and 0.2800 inches Second Leg Length: Between 0.4700 inches and 0.5500 inches Second Leg Width: Between 7.0700 inches and 7.1300 inches Second Leg End Width: 6.3400 inches First Leg Hole Diameter: Between 0.0660 inches and 0.0710 inches First Leg Thickness: 0.0400 inches Second Leg Thickness: 0.0400 inches First Leg Width: Between 7.0700 inches and 7.1300 inches First Leg Distance Between First And Second Hole Centers Along Width: 3.4500 inches First Leg Distance Between Second And Third Hole Centers Along Width: 3.4500 inches First Leg Distance From Edge To Hole Center Along Width: 0.0100 inches First Leg Distance From Edge To Hole Center Along Length: 0.1000 inches First Leg Style: Square First Leg Hole Arrangement Style: Three holes Second Leg Style: Chamfered ends Second Leg Hole Arrangement Style: No hole Second Leg Relationship To First Leg: Not identical First Leg Angle: Between 0.06 radians and 0.09 radians Second Leg Chamfer Angle: Between 40.0 degrees and 50.0 degrees Material: Aluminum alloy 6061

## NSN 5340-01-459-3336

Angle Bracket - Page 2 of 2



**Material Specification:** Qq-a-250/11 federal specification single material response Surface Treatment: Chromate Surface Treatment Specification: Mil-c-5541, cl 1a military specification single treatment response Style Designator: Angle Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A042a0 Mil-std (military Standard): Mil-c-5541 spec.