

View Online at <https://aerobasegroup.com/nsn/5340-01-459-4083>

First Leg Length:

0.5000 inches

Second Leg Length:

0.7500 inches

First Leg Hole Diameter:

0.1380 inches

Second Leg Hole Diameter:

0.1120 inches

Second Leg Distance Between Hole Centers Along Width:

Between 7.8410 inches and 7.8470 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

Between 1.8250 inches and 1.8310 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

4.1880 inches

First Leg Thickness:

0.0900 inches

Second Leg Thickness:

0.1090 inches

First Leg Width:

8.3800 inches

First Leg Distance Between Hole Centers Along Width:

7.2750 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.8750 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

3.2500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.2690 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Cut out

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.60 radians

First Leg Cutout Length:

1.5400 inches

First Leg Chamfer Angle:

45.0 radians

Material:

Steel comp 304

Material Specification:

Qq-s-763, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0