NSN 5340-01-460-2676

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-460-2676

Thread Class: 2b left internal (includes through thread) **Thread Direction:** Right-hand left internal (includes through thread) Thread Length: 0.4000 inches left internal (includes through thread) Diameter: 0.3100 inches Length: Between 0.4800 inches and 0.5200 inches **Cross-sectional Shape:** Round Thready Qty Per Inch (tpi): 32 left internal (includes through thread) **Thread Size:** 0.1900 inches left internal (includes through thread) **Special Features:** The item has a locking thread, adhesive bonded; also with inspection hole 0.062-0.070 ins. Dia. Located 2 thread pitches below insert Material: Aluminum alloy 2024 standoff or aluminum alloy 6061 standoff **Material Specification:** Qq-a-200 federal specification single material response or qq-a-225 federal specification single material response or qq-a-250 federal specification single material response **Surface Treatment:** Anodize standoff **Surface Treatment Specification:** Mil-a-8625 military specification single treatment response standoff **Thread Series Designator:** Unif left internal (includes through thread) Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A08900

Mil-std (military Standard):

Mil-a-8625 spec.