NSN 5340-01-460-5291

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-460-5291

Manuschine Hala Tomas
Mounting Hole Type: Plain
T MIT
First Leg Length:
0.3000 inches
Second Leg Length:
0.5600 inches
Second Leg Width:
1.4400 inches
First Leg Hole Diameter:
0.2500 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.2200 inches
First Leg Thickness:
0.0600 inches
Second Leg Thickness:
0.0600 inches
Center Section Height:
1.0800 inches
Center Section Width:
1.4400 inches
Center Section Thickness:
0.0600 inches
First Leg Width:
1.4400 inches
First Leg Distance Between Hole Centers Along Width:
0.8800 inches
First Leg Distance From Edge To Hole Center Along Width:
0.2800 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
No hole
Second Leg Relationship To First Leg:
Not identical
Material:
Aluminum alloy 6010 or aluminum alloy 6061
Material Specification:

material opecification.

Astm-b-209 assn standard single material response

NSN 5340-01-460-5291

Double Angle Bracket - Page 2 of 2



Surface Treatment:
Anodize or chromate
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response or mil-c-5541 military specification single treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0

Mil-a-8625 spec.

Mil-std (military Standard):