

View Online at <https://aerobasegroup.com/nsn/5340-01-460-5877>

First Leg Length:

2.1500 inches

Second Leg Length:

7.0000 inches

Second Leg Width:

3.5000 inches

First Leg Hole Diameter:

0.3900 inches

Second Leg Hole Diameter:

Between 0.3730 inches and 0.3820 inches

Second Leg Distance Between Hole Centers Along Width:

2.0000 inches

Second Leg Distance Between Hole Centers Along Length:

4.4500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.7500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.8200 inches

First Leg Thickness:

0.2500 inches

Second Leg Thickness:

0.2500 inches

First Leg Width:

3.5000 inches

First Leg End Width:

2.5000 inches

First Leg Distance From Edge To Hole Center Along Width:

1.7500 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.6000 inches and 0.6400 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

30.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Material:

Steel comp 304 or steel comp 304l

Material Specification:

Qq-s-766, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171, fin. 5.4.1 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.