

View Online at <https://aerobasegroup.com/nsn/5340-01-462-6511>

First Leg Length:

2.0000 inches

Second Leg Length:

2.5000 inches

Second Leg Width:

2.0000 inches

First Leg Hole Diameter:

Between 0.4430 inches and 0.4600 inches

Second Leg Hole Diameter:

Between 0.2660 inches and 0.2880 inches

Second Leg Distance Between Hole Centers Along Width:

1.0000 inches

Second Leg Distance Between Hole Centers Along Length:

0.5000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.5000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.5000 inches

First Leg Thickness:

0.5000 inches

Second Leg Thickness:

0.5000 inches

First Leg Width:

2.000 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance From Edge To Hole Center Along Width:

1.0000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.2500 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.25 radians

Material:

Aluminum alloy 5086 or aluminum alloy 5083

Material Specification:

Astm-b-221 assn standard single material response or qq-a-250/6 federal specification single material response or astm-b-209 assn standard single material response or qq-a-250/7 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0