

View Online at <https://aerobasegroup.com/nsn/5340-01-463-2144>

**First Leg Length:**

0.6900 inches

**Second Leg Length:**

0.7100 inches

**Second Leg Width:**

1.0600 inches

**Second Leg Corner Radius:**

0.2500 inches

**First Leg Slot Length:**

0.5000 inches

**First Leg Slot Width:**

0.2500 inches

**Second Leg Hole Diameter:**

0.0980 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.6200 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.2200 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.2800 inches

**First Leg Thickness:**

0.0600 inches

**Second Leg Thickness:**

0.0600 inches

**First Leg Width:**

1.0600 inches

**First Leg Corner Radius:**

0.2500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.5300 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.3100 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-250/5 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.