

View Online at <https://aerobasegroup.com/nsn/5340-01-464-2475>

Mounting Hole Type:

Plain

First Leg Length:

1.2500 inches

Second Leg Length:

1.7500 inches

Second Leg Width:

1.5000 inches

Second Leg End Width:

0.7000 inches

First Leg Hole Diameter:

Between 0.2500 inches and 0.3360 inches

Second Leg Hole Diameter:

Between 0.7000 inches and 0.7100 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.7500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.7000 inches

First Leg Thickness:

0.1250 inches

Second Leg Thickness:

0.1250 inches

First Leg Width:

1.5000 inches

First Leg End Width:

1.0000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.7500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.4000 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.25 radians

First Leg Chamfer Angle:

0.25 radians

Second Leg Chamfer Angle:

40.0 radians

Material:

Aluminum alloy 5086 or aluminum alloy 5052

Material Specification:

Qq-a-250/7 federal specification single material response or astm-b-209 assn standard single material response or qq-a-250/8 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.