## NSN 5340-01-464-4159



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-464-4159 First Leg Length: 2.0000 inches Second Leg Length: 2.0000 inches Second Leg Width: 1.7500 inches First Leg Hole Diameter: Between 0.4050 inches and 0.4600 inches Second Leg Hole Diameter: Between 0.2360 inches and 0.2460 inches Second Leg Distance From Edge To Hole Center Along Width: 0.8750 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.3800 inches First Leg Thickness: 0.5000 inches **Second Leg Thickness:** Between 0.2400 inches and 0.2600 inches First Leg Width: 2.7500 inches First Leg Distance Between Hole Centers Along Width: 1.0000 inches First Leg Distance From Edge To Hole Center Along Width: 0.3750 inches First Leg Distance From Edge To Hole Center Along Length: 0.7150 inches Second Leg End Radius: 0.3800 inches First Leg Style: Square First Leg Hole Arrangement Style: Two holes Second Leg Style: End radius Second Leg Hole Arrangement Style: One hole Second Leg Relationship To First Leg: Not identical

First Leg Angle:

0.25 radians

Material:

Aluminum alloy 5083 or aluminum alloy 5086

## NSN 5340-01-464-4159

Angle Bracket - Page 2 of 2



## **Material Specification:**

A042a0

Astm-b-209 assn standard single material response or astm-b-221 assn standard single material response or qq-a-250/6 federal specification single material response or qq-a-250/7 federal specification single material response

1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: