## NSN 5340-01-464-7675

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-464-7675 **Mounting Hole Type:** Plain First Leg Length: 4.250 inches Second Leg Length: 4.250 inches Second Leg Width: 1.250 inches Second Leg End Width: 0.490 inches First Leg Hole Diameter: Between 0.505 inches and 0.535 inches Second Leg Hole Diameter: Between 0.505 inches and 0.535 inches Second Leg Distance Between Hole Centers Along Length: 1.370 inches Second Leg Distance From Edge To Hole Center Along Width: 1.250 inches Second Leg Distance From Edge To Hole Center Along Length: 0.620 inches First Leg Thickness: 0.750 inches Second Leg Thickness: 0.750 inches **Center Section Height:** 12.250 inches **Center Section Width:** 2.500 inches **Center Section Thickness:** 0.625 inches First Leg Width: 1.250 inches First Leg End Width: 0.490 inches First Leg Distance From Edge To Hole Center Along Width: 1.250 inches First Leg Distance From Edge To Hole Center Along Length: 0.620 inches First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

One hole

## NSN 5340-01-464-7675

Double Angle Bracket - Page 2 of 2



Second Leg Style:
Chamfered ends
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
0.19 radians
Second Leg Angle:
0.19 radians
First Leg Chamfer Angle:
0.38 radians
Second Leg Chamfer Angle:
0.38 radians
Material:
Aluminum alloy 5083 or aluminum alloy 5086
Material Specification:
Qq-a-250/6 federal specification single material response or astm-b-209 assn standard single material response or qq-a-250/7 federal
specification single material response or astm-b-221 assn standard single material response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0