

View Online at <https://aerobasegroup.com/nsn/5340-01-465-4631>

First Leg Length:

0.9400 inches

Second Leg Length:

2.0000 inches

Second Leg Width:

1.0000 inches

First Leg Hole Diameter:

Between 0.3620 inches and 0.3920 inches

Second Leg Distance Between Hole Centers Along Length:

0.7500 inches

Second Leg Distance From Edge To Hole Center Along Width:

5.0000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.3750 inches

Second Leg Slot Length:

0.6200 inches

Second Leg Slot Width:

Between 0.2200 inches and 0.2500 inches

First Leg Thickness:

0.0740 inches

Second Leg Thickness:

0.0740 inches

Center Section Height:

0.6200 inches

Center Section Width:

1.0000 inches

Center Section Thickness:

0.0740 inches

First Leg Width:

1.0000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.5000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.3120 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.15 radians

Second Leg Angle:

0.15 radians

Material:

Steel comp 1009

Material Specification:

Astm-a-366 assn standard single material response or astm-a-569 assn standard single material response

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Tt-c-490, type 1 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

spec.