## NSN 5340-01-468-1963



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-468-1963 First Leg Length: 1.830 inches Second Leg Length: 1.140 inches **End Application:** Ssm-xmitter g Second Leg Width: 1.830 inches Second Leg End Width: 1.746 inches First Leg Hole Diameter: 5.000 inches Second Leg Hole Diameter: 0.386 inches Second Leg Distance Between Hole Centers Along Width: 1.188 inches **Second Leg Distance From Edge To Hole Center Along Width:** 0.320 inches Second Leg Distance From Edge To Hole Center Along Length: 0.320 inches First Leg Thickness: 0.250 inches Second Leg Thickness: 0.225 inches First Leg Width: 1.830 inches First Leg End Width: 1.746 inches First Leg Distance From Edge To Hole Center Along Width: 0.920 inches First Leg Distance From Edge To Hole Center Along Length: 0.650 inches First Leg Style: Chamfered ends First Leg Hole Arrangement Style: One hole Second Leg Style: Chamfered ends

**Second Leg Hole Arrangement Style:** Two holes Second Leg Relationship To First Leg: Not identical

## **NSN 5340-01-468-1963** Angle Bracket - Page 2 of 2



First Leg Angle:
90.0 degrees
First Leg Chamfer Angle:
45.0 degrees
Second Leg Chamfer Angle:
45.0 degrees
Product Name:
Standoff, scr
Material:
Aluminum
Surface Treatment:
Chromate
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0