

View Online at <https://aerobasegroup.com/nsn/5340-01-469-0794>

**First Leg Length:**

Between 4.320 inches and 4.440 inches

**Second Leg Length:**

Between 4.320 inches and 4.440 inches

**End Application:**

Nsn5420-01-430-5403, carrier bridge launching abrams m-1

**Second Leg Width:**

Between 4.320 inches and 4.440 inches

**Second Leg End Width:**

Between 3.820 inches and 3.940 inches

**First Leg Slot Length:**

Between 0.970 inches and 1.030 inches

**First Leg Slot Width:**

Between 0.404 inches and 0.414 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

2.195 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.125 inches

**Second Leg Slot Length:**

Between 3.590 inches and 3.650 inches

**Second Leg Slot Width:**

Between 0.404 inches and 0.414 inches

**First Leg Thickness:**

Between 0.190 inches and 0.310 inches

**Second Leg Thickness:**

Between 0.190 inches and 0.310 inches

**First Leg Width:**

Between 4.320 inches and 4.440 inches

**First Leg End Width:**

Between 3.820 inches and 3.940 inches

**First Leg Distance Between Hole Centers Along Width:**

1.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.570 inches

**First Leg Distance From Edge To Hole Center Along Length:**

1.440 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 0.190 radians and 0.310 radians

**First Leg Chamfer Angle:**

Between 43.0 degrees and 47.0 degrees

**Second Leg Chamfer Angle:**

Between 43.0 degrees and 47.0 degrees

**Special Features:**

Material is .25 inches thk

**Material:**

Steel

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0