## NSN 5340-01-470-6647

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-470-6647

rst	1 0	$\sim$	ΙО	n	~	H	٠.
 J D L	ᆫ	u	ᆫ		u		ı .

Between 0.725 inches and 0.735 inches

Second Leg Length:

Between 1.195 inches and 1.205 inches

First Leg Hole Diameter:

Between 0.260 inches and 0.270 inches

First Leg Thickness:

Between 0.056 inches and 0.068 inches

Second Leg Thickness:

Between 0.056 inches and 0.068 inches

First Leg Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.245 inches and 0.255 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.225 inches and 0.235 inches

First Leg End Radius:

0.500 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

Between 85.0 degrees and 95.0 degrees

Material:

Steel

**Material Specification:** 

Ams6350 assn standard single material response

**Surface Treatment:** 

Cadmium

**Surface Treatment Specification:** 

Ams2400 assn standard single treatment response

**Style Designator:** 

Angle

**Specification Data:** 

96906-as9597 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5340-01-470-6647

Angle Bracket - Page 2 of 2



Demilitarization:

No

Fiig:

A042a0