

View Online at <https://aerobasegroup.com/nsn/5340-01-470-7074>

First Leg Length:

Between 34.0 millimeters and 38.0 millimeters

Second Leg Length:

Between 61.0 millimeters and 65.0 millimeters

End Application:

2320-01-353-9098

Second Leg Width:

Between 74.0 millimeters and 78.0 millimeters

Second Leg End Width:

Between 48.0 millimeters and 52.0 millimeters

First Leg Hole Diameter:

7.0 millimeters

Second Leg Hole Diameter:

35.4 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

25.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

25.0 millimeters

First Leg Thickness:

0.0747 inches

Second Leg Thickness:

0.0747 inches

First Leg Width:

Between 74.0 millimeters and 78.0 millimeters

First Leg Corner Radius:

Between 4.0 millimeters and 6.0 millimeters

First Leg Distance Between Hole Centers Along Width:

56.0 millimeters

First Leg Distance From Edge To Hole Center Along Width:

10.0 millimeters

First Leg Distance From Edge To Hole Center Along Length:

10.0 millimeters

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 2.0 degrees and 6.0 degrees

Special Features:

Center hole on second; four extended keys equally spaced on diameter

Material:

Steel comp 1009

Material Specification:

Astm a366 assn standard 1st material response or astm a569 assn standard 2nd material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0