

View Online at <https://aerobasegroup.com/nsn/5340-01-472-5674>

First Leg Length:

2.750 inches

Second Leg Length:

0.750 inches

End Application:

Adapter test; circuit card assembly

First Leg Hole Diameter:

0.228 inches

Second Leg Hole Diameter:

0.172 inches

Second Leg Distance Between Hole Centers Along Width:

10.500 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

3.500 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

3.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.950 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.090 inches

Second Leg Thickness:

0.090 inches

First Leg Width:

12.400 inches

First Leg Distance Between Hole Centers Along Width:

10.500 inches

First Leg Distance Between First And Second Hole Centers Along Width:

3.500 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

3.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.950 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification all material responses

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-c-5541 military specification all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.