# NSN 5340-01-475-3534

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-475-3534

# First Leg Length:

1.250 inches

#### Second Leg Length:

1.250 inches

#### End Application:

2350-01-432-1526; armored reconnaissance-airborne assault vehicle; fighting vehicle systems, bradley

#### Second Leg Width:

10.500 inches

#### First Leg Slot Length:

0.625 inches

#### First Leg Slot Width:

0.312 inches

#### First Leg Thickness:

0.125 inches

#### Second Leg Thickness:

# 0.125 inches

#### Center Section Height:

1.250 inches

#### **Center Section Width:**

10.500 inches

# Center Section Thickness:

0.125 inches

#### First Leg Width:

10.500 inches

# First Leg Distance Between Hole Centers Along Width:

6.000 inches

# First Leg Distance From Edge To Hole Center Along Width:

2.000 inches

# First Leg Distance From Edge To Hole Center Along Length:

0.570 inches

# First Leg Style:

Square

# First Leg Hole Arrangement Style:

2 slots

# Second Leg Style:

Square

# Second Leg Hole Arrangement Style:

No hole

# Second Leg Relationship To First Leg:

Not identical

# First Leg Angle:

90.0 degrees

# NSN 5340-01-475-3534

Double Angle Bracket - Page 2 of 2



Second Leg Angle:

90.0 degrees

#### Material:

Aluminum alloy 5083 or aluminum alloy 5086 or aluminum alloy 5052

#### Material Specification:

Astm b221 assn standard single material response or astm b209 assn standard single material response

Style Designator: Double angle

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A042a0