

View Online at <https://aerobasegroup.com/nsn/5340-01-475-4604>

First Leg Length:

2.630 inches

Second Leg Length:

3.500 inches

End Application:

2350-01-432-1526; armored reconnaissance-airborne assault vehicle; fighting vehicle system, bradley (bfvs)

Second Leg Width:

2.750 inches

Second Leg Corner Radius:

0.120 inches

First Leg Hole Diameter:

Between 0.860 inches and 0.940 inches

Second Leg Distance Between Hole Centers Along Width:

Between 1.730 inches and 1.770 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.690 inches

Second Leg Slot Length:

0.500 inches

Second Leg Slot Width:

0.340 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

2.750 inches

First Leg End Width:

1.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.970 inches

First Leg Distance From Edge To Hole Center Along Length:

0.830 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Bracket, mounting, vehicle motion sensor

Material:

Aluminum alloy 5052 or aluminum alloy 5086

Material Specification:

Qq-a-250/7 federal specification single material response or qq-a-250/8 federal specification single material response or astm b209 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0