

View Online at <https://aerobasegroup.com/nsn/5340-01-493-7869>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 0.280 inches and 0.300 inches

**Second Leg Length:**

Between 0.700 inches and 0.740 inches

**Second Leg Hole Diameter:**

Between 0.187 inches and 0.193 inches

**Second Leg Distance Between Hole Centers Along Width:**

Between 2.714 inches and 2.724 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

Between 2.120 inches and 2.130 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.370 inches and 0.410 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.470 inches and 0.510 inches

**First Leg Thickness:**

Between 0.075 inches and 0.085 inches

**Second Leg Thickness:**

Between 0.075 inches and 0.085 inches

**First Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

Two holes

**First Leg Angle:**

0.080 radians

**Second Leg Chamfer Angle:**

45.0 degrees

**Material:**

Steel comp 1018

**Material Specification:**

Ast-108-69 assn standard all material responses

**Surface Treatment:**

Cadmium and primer and primer and primer epoxy

**Surface Treatment Specification:**

Qq-p-416 federal specification 1st treatment response and mil-c-22750 class 2 military specification 2nd treatment response and mil-p-23377 military specification 3rd treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-22750 spec.