## NSN 5340-01-497-3533

General Purpose Access Door - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-497-3533

Cross Sectional Shape:
Flat
Width:
28.250 inches
Edge Shape:
Rectangle, multi holes
Length:
46.250 inches
Hole Quantity Along Length:
3
Hole Quantity Along Width:
3
Distance Between Holes Along Length:
22.625 inches
Distance Between Holes Along Width:
13.625 inches
Distance From First Hole Centerline To End Along Length:
0.500 inches
Distance From First Hole Centerline To End Along Width:
0.500 inches
Body Thickness:
0.750 inches
Securing Device Type:
Special
End Application:
2350-01-219-7577
Features Provided:
Handle for opening, lifting, closing, or the like and special marking
Product Name:
Door assembly, turbine access
Special Features:
Includes 4 holes 0.750-10 unc-28 which are 3.312 inches in from left crosswise edge, centered 6.500, 8.500, 19.250 and 21.250 inches
from the top; a grip and retainer are located 3.000 inches in from the other crosswise edge and 5.000 inches up from the bottom edge
Material:
Aluminum alloy 5083
Material Specification:
Mil-a-46027 military specification single material response
Surface Treatment:
Paint
Supplementary Features:
Securing device type: footman loops 2

N/a

Shelf Life:

## NSN 5340-01-497-3533

General Purpose Access Door - Page 2 of 2



Unit Of Mea	sure:
-------------	-------

--

Demilitarization:

No

Fiig:

A531n0

Mil-std (military Standard):

Mil-a-46027 spec.