

View Online at <https://aerobasegroup.com/nsn/5340-01-497-7561>

**Mounting Hole Type:**

Plain

**First Leg Length:**

2.000 inches

**Second Leg Length:**

5.000 inches

**End Application:**

Bradley; 2350014204716

**Second Leg Width:**

4.250 inches

**First Leg Hole Diameter:**

Between 0.194 inches and 0.238 inches

**Second Leg Hole Diameter:**

Between 0.188 inches and 0.238 inches

**Second Leg Distance Between Hole Centers Along Width:**

3.125 inches

**Second Leg Distance Between Hole Centers Along Length:**

3.582 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.560 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**First Leg Thickness:**

0.120 inches

**Second Leg Thickness:**

0.120 inches

**First Leg Width:**

4.250 inches

**First Leg Distance Between Hole Centers Along Width:**

3.125 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.560 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Product Name:**

Bracket, tow control box

**Special Features:**

Holes on first leg are countersunk 0.360-0.390 x 80-82 degrees; second leg has a 2.000 diameter hole centered 1.410 inch from open end and 2.125 inches from side edge

**Material:**

Steel

**Material Specification:**

Astma569 assn standard single material response or astma366 assn standard single material response or astma109 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0