

View Online at <https://aerobasegroup.com/nsn/5340-01-497-9483>

Mounting Hole Type:

Plain

First Leg Length:

0.910 inches

Second Leg Length:

1.500 inches

End Application:

2350-01-455-3174

Second Leg Width:

Between 4.190 inches and 4.310 inches

Second Leg End Width:

Between 3.690 inches and 3.810 inches

First Leg Hole Diameter:

Between 0.374 inches and 0.385 inches

Second Leg Hole Diameter:

Between 0.195 inches and 0.206 inches

Second Leg Distance Between Hole Centers Along Width:

1.275 inches

Second Leg Distance From Edge To Hole Center Along Width:

2.350 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

Between 1.450 inches and 1.850 inches

Center Section Width:

Between 4.190 inches and 4.310 inches

Center Section Thickness:

0.125 inches

First Leg Width:

Between 4.190 inches and 4.310 inches

First Leg Distance Between Hole Centers Along Width:

1.560 inches

First Leg Distance From Edge To Hole Center Along Width:

1.940 inches

First Leg Distance From Edge To Hole Center Along Length:

0.313 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.13 radians

Second Leg Angle:

0.13 radians

Second Leg Chamfer Angle:

Between 45.0 degrees and 50.0 degrees

Special Features:

The second "hole" on the first leg is actually a slot measuring 0.375 in (along width) by 0.50 in (along length) and centered 0.38 in from edge along the length; for the finish, the color is 383 green, chip no. 34094 of fed-std-595; omit prime and pait from holes; dimensional limits and surface texture apply without coating

Material:

Aluminum alloy 6061

Material Specification:

Astm b209m federal standard all material responses

Surface Treatment:

Chromate and primer epoxy and plastic polyurethane

Surface Treatment Specification:

Mil-std-171 military standard 1st treatment response and fed-std-595 federal standard 2nd treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.