

View Online at <https://aerobasegroup.com/nsn/5340-01-503-2080>

Material Thickness:

0.375 inches

Mounting Hole Diameter:

0.164 inches

Mounting Hole Type:

Counterbored

First Leg Length:

2.125 inches

Second Leg Length:

2.680 inches

End Application:

Air combat maneuvering instrumentation (acmi); p4rc

Second Leg Width:

2.680 inches

Second Leg End Width:

0.250 inches

First Leg Hole Diameter:

0.164 inches

Second Leg Hole Diameter:

0.164 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.180 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Width:

2.125 inches

First Leg End Width:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

1.343 inches

First Leg Distance From Edge To Hole Center Along Width:

0.532 inches

First Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Three holes

Hole Quantity:

5

Angle:

90.0 degrees

Second Leg Relationship To First Leg:

Not identical

Product Name:

Gusset

Special Features:

Mounting holes are 0.164-32unc-2b counterbored 0.250

Material:

Aluminum alloy

Material Specification:

Qq-a-250/11 federal specification single material response

Style Designator:

Triangle

Specification Data:

81348-qq-a-250/11 government specification

Specification Or Standard:

6061 alloy and 651 treatment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0