

View Online at <https://aerobasegroup.com/nsn/5340-01-503-4503>

Mounting Hole Type:

Plain

First Leg Length:

1.130 inches

Second Leg Length:

3.250 inches

End Application:

Nsn 2320-01-097-0260 hemtt (heavy expanded mobility tactical trucks).

Second Leg Width:

4.000 inches

Second Leg End Width:

2.000 inches

First Leg Hole Diameter:

0.281 inches

Second Leg Hole Diameter:

1.190 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.220 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.620 inches

First Leg Thickness:

0.064 inches

Second Leg Thickness:

0.064 inches

First Leg Width:

4.000 inches

First Leg Distance Between Hole Centers Along Width:

3.063 inches

First Leg Distance From Edge To Hole Center Along Width:

0.470 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Product Name:

Bracket, alarm

Special Features:

The smallest hole diameter in the second leg measures 0.219 in

Material:

Steel

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0