

View Online at <https://aerobasegroup.com/nsn/5340-01-509-1472>

**Cross Sectional Shape:**

Recess, same shape as the periphery

**Hole Diameter:**

Between 0.248 inches and 0.255 inches

**Flange Thickness:**

0.100 inches

**Outside Diameter:**

2.850 inches

**Edge Shape:**

Round, no holes

**First Recess Inside Height:**

3.150 inches

**Body Thickness:**

0.100 inches

**Securing Device Type:**

Special

**Mounting Opening Shape Style:**

Unthreaded hole

**End Application:**

Drive, assembly, s

**Special Features:**

Has 2 holes centered 1.175 from bottom/open edge, equally spaced around circumference; has neoprene antivibration pads: one 1.00x1.00x0.75 centered on underside of top and two 2.00x1.00x0.125 centered lengthwise above holes with bottom edges 1.50 from bottom edge of cover

**Material:**

Aluminum alloy 6061 and rubber synthetic

**Material Specification:**

Astm b21, t651 assn standard 1st material response and astm d2000 2bc 415 a14 b14 c12 eo14 f17 assn standard 2nd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type ii, class 2, black military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A531c0

**Mil-std (military Standard):**

Mil-a-8625 spec.