

View Online at <https://aerobasegroup.com/nsn/5340-01-509-4939>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.760 inches

**Second Leg Length:**

1.550 inches

**Second Leg Width:**

14.330 inches

**Second Leg Hole Diameter:**

Between 0.194 inches and 0.200 inches

**Second Leg Distance Between Hole Centers Along Width:**

13.580 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.375 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.378 inches

**First Leg Thickness:**

0.060 inches

**Second Leg Thickness:**

0.060 inches

**First Leg Width:**

14.330 inches

**First Leg Corner Radius:**

0.250 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Product Name:**

Bracket, filter

**Special Features:**

2nd leg has 2 more holes, 0.139-0.144 in dia, centered 0.976 from open end and 6.356 & 7.262 from left edge; 1st leg has 7 semicircular cutouts on bottom edge with radii of 0.500 - see drawing for location and for placement of markings "a1, a2, ..., a8" and "f1, f2, ..., f8" across first leg and "a1, a2, ..., a8" across second leg; marking to be done in .12 high characters using find no. 1 mil-std-130

**Material:**

Aluminum alloy 5052

**Material Specification:**

Astm b209, temper h32 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-std-130 spec.