

View Online at <https://aerobasegroup.com/nsn/5340-01-509-5336>

Mounting Hole Type:

Plain

First Leg Length:

0.781 inches

Second Leg Length:

8.750 inches

Second Leg Width:

Between 18.540 inches and 18.570 inches

First Leg Hole Diameter:

Between 0.201 inches and 0.207 inches

Second Leg Hole Diameter:

Between 0.201 inches and 0.207 inches

Second Leg Distance Between Hole Centers Along Width:

8.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.125 inches

Second Leg Distance From Edge To Hole Center Along Width:

4.477 inches

Second Leg Distance From Edge To Hole Center Along Length:

3.358 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

Between 18.540 inches and 18.570 inches

First Leg Distance Between Hole Centers Along Width:

10.000 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.906 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

6.188 inches

First Leg Distance From Edge To Hole Center Along Width:

3.332 inches

First Leg Distance From Edge To Hole Center Along Length:

0.094 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Product Name:

Bracket, lower, sonar, center rack

Special Features:

First leg has 3 slots, 0.500 w, open on bottom edge; 2nd leg has another row of holes with same diameter as first 2 rows, centered 1.063 from rt. Edge and 4.266 & 5.391 from top edge; 2nd leg has 2 large cutouts: an oval, 3.00w x 5.5 h centered on right side between center and right rows of holes and a rectangular cutout with rounded corners, 5.0 w x 5.50 h, centered between center and left rows of holes; 2nd leg has lip with 4 holes, 1.20 w x 8.75 l along the underside of right edge and a lip with 1 hole, 0.55 w x 2.25 l, at front along top of left edge

Material:

Aluminum alloy 5052

Material Specification:

Astm b209, temper h32 assn standard single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, class 1a federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.