## NSN 5340-01-509-5336

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-509-5336 **Mounting Hole Type:** Plain First Leg Length: 0.781 inches Second Leg Length: 8.750 inches Second Leg Width: Between 18.540 inches and 18.570 inches First Leg Hole Diameter: Between 0.201 inches and 0.207 inches Second Leg Hole Diameter: Between 0.201 inches and 0.207 inches Second Leg Distance Between Hole Centers Along Width: 8.000 inches Second Leg Distance Between Hole Centers Along Length: 1.125 inches Second Leg Distance From Edge To Hole Center Along Width: 4.477 inches **Second Leg Distance From Edge To Hole Center Along Length:** 3.358 inches First Leg Thickness: 0.125 inches Second Leg Thickness: 0.125 inches First Leg Width: Between 18.540 inches and 18.570 inches First Leg Distance Between Hole Centers Along Width: 10.000 inches First Leg Distance Between First And Second Hole Centers Along Width: 1.906 inches First Leg Distance Between Second And Third Hole Centers Along Width: 6.188 inches First Leg Distance From Edge To Hole Center Along Width: 3.332 inches First Leg Distance From Edge To Hole Center Along Length: 0.094 inches First Leg Style: Square First Leg Hole Arrangement Style: Four holes Second Leg Style:

Square

## NSN 5340-01-509-5336

Angle Bracket - Page 2 of 2



| Second Leg Hole Arrangement Style:   |
|--|
| Four holes   |
| Second Leg Relationship To First Leg:  |
| Not identical  |
| First Leg Angle:   |
| 90.0 degrees   |
| Product Name:  |
| Bracket, lower, sonar, center rack   |
| Special Features:  |
| First leg has 3 slots, 0.500 w, open on bottom edge; 2nd leg has another row of holes with same diameter as first 2 rows, centered 1.063           |
| from rt. Edge and 4.266 & 5.391 from top edge; 2nd leg has 2 large cutouts: an oval, 3.00w x 5.5 h centered on right side between center           |
| and right rows of holes and a rectangular cutout with rounded corners, 5.0 w x 5.50 h, centered between center and left rows of holes; 2nd         |
| eg has lip with 4 holes, 1.20 w x 8.75 I along the underside of right edge and a lip with 1 hole, 0.55 w x 2.25 I, at front along top of left edge |
| Material:  |
| Aluminum alloy 5052  |
| Material Specification:  |
| Astm b209, temper h32 assn standard single material response   |
| Surface Treatment:   |
| Chromate   |
| Surface Treatment Specification:   |
| Mil-c-5541, class 1a federal specification single treatment response   |
| Style Designator:  |
| Angle  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| -  |
| Demilitarization:  |
| No   |
| Filg:  |
| A042a0   |
| Mil-std (military Standard):   |
| Mil-c-5541 spec.   |
|  |
|  |
|  |