NSN 5340-01-509-7379

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-509-7379

Mounting Hole Type:
Plain
First Leg Length:
1.300 inches
Second Leg Length:
1.500 inches
Furnished Items (non-core):
4 floating nuts, ms14210-l3-10
End Application:
Brackets, misc, starboard console
Second Leg Width:
12.000 inches
Second Leg Corner Radius:
0.250 inches
First Leg Hole Diameter:
Between 0.279 inches and 0.286 inches
Second Leg Hole Diameter:
Between 0.278 inches and 0.285 inches
Second Leg Distance Between Hole Centers Along Width:
10.000 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
2.500 inches
Second Leg Distance Between Second And Third Hole Centers Along Width:
5.000 inches
5.000 inches Second Leg Distance From Edge To Hole Center Along Width:
Second Leg Distance From Edge To Hole Center Along Width:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches First Leg Width:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches First Leg Width: 12.000 inches
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches First Leg Width: 12.000 inches First Leg Corner Radius:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches First Leg Width: 12.000 inches First Leg Corner Radius: 0.250 inches First Leg Distance Between First And Second Hole Centers Along Width: 5.625 inches
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches First Leg Width: 12.000 inches First Leg Corner Radius: 0.250 inches First Leg Distance Between First And Second Hole Centers Along Width: 5.625 inches First Leg Distance Between Second And Third Hole Centers Along Width:
Second Leg Distance From Edge To Hole Center Along Width: 1.000 inches Second Leg Distance From Edge To Hole Center Along Length: 0.930 inches First Leg Thickness: 0.190 inches Second Leg Thickness: 0.190 inches First Leg Width: 12.000 inches First Leg Corner Radius: 0.250 inches First Leg Distance Between First And Second Hole Centers Along Width: 5.625 inches

0.375 inches

NSN 5340-01-509-7379 Angle Bracket - Page 2 of 2

