

View Online at <https://aerobasegroup.com/nsn/5340-01-511-0354>

First Leg Length:

2.250 inches

Second Leg Length:

1.380 inches

End Application:

Heavyweight torpedo, g&c tilt dolly

Second Leg Width:

1.250 inches

Second Leg Hole Diameter:

0.281 inches

Second Leg Distance Between Hole Centers Along Length:

1.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

1.250 inches

First Leg Style:

Cut out

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Cutout Length:

0.880 inches

First Leg Cutout Width:

0.437 inches

Product Name:

Clamping ring bracket

Material:

Steel comp 304

Material Specification:

Astm-a666 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Astm-a967 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0