Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-512-5665

Thread Class:	
2a right external	
Thread Direction:	
Right-hand right external	
Thread Length:	
0.438 inches left external	
Length:	
Between 2.995 inches and 3.005 inches	
Cross-sectional Length:	
Between 3.366 inches and 3.384 inches	
Cross-sectional Width:	
Between 0.244 inches and 0.281 inches	
Cross-sectional Shape:	
Rectangular	
Thready Qty Per Inch (tpi):	
32 right external	
Thread Size:	
0.164 inches right external	
Right Projection Diameter:	
Between 0.244 inches and 0.281 inches	
Right Projection Length:	
Between 0.371 inches and 0.379 inches	
Special Features:	
Post electrical-mechanical equipment, stud type	
Material:	
Steel comp 303	
Material Specification:	
Astm a582, type 303/303e/xm-1, condition a assn standard single material response	
Surface Treatment:	
Passivate	
Surface Treatment Specification:	
Qq-p-35 federal specification single treatment response	
Style Designator:	
Left internal and right external thread	
Thread Series Designator:	
Unc right external	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	

## NSN 5340-01-512-5665

Spacing Threaded Standoff - Page 2 of 2

**Fiig:** A08900

