## NSN 5340-01-513-8438

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-513-8438 **Thread Class:** 2b right internal **Thread Direction:** Right-hand right internal Thread Length: 0.375 inches right internal Length: Between 0.995 inches and 1.005 inches **End Application:** An/sqq-89 (v) **Cross-sectional Shape:** Hexagon Width Across Flats: Between 0.307 inches and 0.319 inches Thready Qty Per Inch (tpi): 32 right internal **Thread Size:** 0.138 inches right internal Left Slot Width: 0.138 inches **Err Default:** Err default **Right Slot Width:** 0.138 inches **Right Slot Depth:** 0.375 inches **Special Features:** Max depth of drill hole optional - posts maybe threaded their entire length Material: Aluminum alloy 2011 or aluminum alloy 2024 or aluminum alloy 6061 **Material Specification:** Qq-a-225/8, t6 federal specification single material response or qq-a-225/6, t4 federal specification single material response or qq-a-225/3, t4 federal specification single material response Style Designator: Left internal and right internal threads **Thread Series Designator:** Unc right internal Shelf Life: N/a

No

**Unit Of Measure:** 

Demilitarization:

## NSN 5340-01-513-8438

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900